



| ITEM NO. | QTY.<br>-041 | QTY.<br>-042 | PART NUMBER   | DESCRIPTION             |
|----------|--------------|--------------|---------------|-------------------------|
| 1        | X            |              | D4038-041     | ANGLE ASSEMBLY, FWD, LH |
| 2        |              | X            | D4038-042     | ANGLE ASSEMBLY, FWD, RH |
|          |              |              |               |                         |
| 3        | 1            |              | D4038-1       | ANGLE, FWD, LH          |
| 4        |              | 1            | D4038-2       | ANGLE, FWD, RH          |
| 5        | 1            |              | D4038-5       | BLOCK                   |
| 6        |              | 1            | D4038-6       | BLOCK                   |
| 7        | 1            |              | D4038-9       | BLOCK                   |
| 8        |              | 1            | D4038-10      | BLOCK                   |
| 9        | 2            | 2            | AN3-14A       | BOLT                    |
| 10       | 2            | 2            | MS21042L3     | NUT                     |
| 11       | 4            | 4            | NAS1149D0363J | WASHER                  |










D4038-041 ANGLE ASSEMBLY, FWD, LH




D4038-042 ANGLE ASSEMBLY, FWD, RH


NOTES:  
1) MATERIAL: N/A  
2) FINISH: POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3  
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED  
4) UNITS: INCHES UNLESS OTHERWISE NOTED  
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX  
6) IDENTIFICATION: N/A  
7) WEIGHT: -041 - 1.82 lbs  
              -042 - 1.74 lbs

|            |   |  |   |          |
|------------|---|--|---|----------|
| A          | NEW ISSUE   |  |    | 09.12.14 |
| REV.       | DESCRIPTION   |  | BY  | DATE     |
| DESIGN     |  | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA |   |          |
| DRAWN      |  |  |   |          |
| CHECKED    |  | DRAWING NO.  | REV. A  |          |
| MFG. APPR. |  | D4038  | SHEET 1 OF 14   |          |
| APPROVED   |  | TITLE  | SCALE   |          |
| DE APPR.   |  | BRACKET  | NTS   |          |
| DATE       | 09.12.14  |  | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD |          |

| ITEM NO. | QTY.<br>-043 | QTY.<br>-044 | PART NUMBER   | DESCRIPTION             |
|----------|--------------|--------------|---------------|-------------------------|
| 1        | X            |              | D4038-043     | ANGLE ASSEMBLY, AFT, LH |
| 2        |              | X            | D4038-044     | ANGLE ASSEMBLY, AFT, RH |
| 3        | 1            |              | D4038-3       | ANGLE, AFT, LH          |
| 4        |              | 1            | D4038-4       | ANGLE, AFT, RH          |
| 5        | 1            |              | D4038-7       | BLOCK                   |
| 6        |              | 1            | D4038-8       | BLOCK                   |
| 7        | 1            |              | D4038-11      | BLOCK                   |
| 8        |              | 1            | D4038-12      | BLOCK                   |
| 9        | 2            | 2            | AN3-14A       | BOLT                    |
| 10       | 2            | 2            | MS21042L3     | NUT                     |
| 11       | 4            | 4            | NAS1149D0363J | WASHER                  |



**D4038-043 ANGLE ASSEMBLY, AFT, LH**




**D4038-044 ANGLE ASSEMBLY, AFT, RH**


**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: -043 - 1.82 lbs  
-044 - 1.74 lbs

|            |          |  |               |
|------------|----------|--|---------------|
| DESIGN     |          | <b>DART AEROSPACE LTD</b>  |               |
| DRAWN      |          | HAWKESBURY, ONTARIO, CANADA  |               |
| CHECKED    |          | DRAWING NO.  | REV. A        |
| MFG. APPR. |          | <b>D4038</b>   | SHEET 2 OF 14 |
| APPROVED   |          | TITLE  | SCALE         |
| DE APPR.   |          | <b>BRACKET</b>   | NTS           |
| DATE       | 09.12.14 | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD. |               |



**D4038-1 ANGLE, FWD, LH**



**RELEASED**  
2010-04-14

**NOTES:**

- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 4.000 X 4.000 X 0.250  
PER AMS-QQ-A-200/8  
REF DART SPEC M6061T6A4.000XW250
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN (NEAR SIDE ONLY) TO MAX  
DEPTH OF 0.010 IN 0.18 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 1.08 lbs
- 8) SPOT FACE MAX DEPTH OF 0.010 PRIOR TO MARKING



|            |          |  |               |
|------------|----------|--|---------------|
| DESIGN     |          | <b>DART AEROSPACE LTD</b>  |               |
| DRAWN      |          | HAWKESBURY, ONTARIO, CANADA  |               |
| CHECKED    |          | DRAWING NO.  | REV. A        |
| MFG. APPR. |          | <b>D4038</b>   | SHEET 3 OF 14 |
| APPROVED   |          | TITLE  | SCALE         |
| DE APPR.   |          | <b>BRACKET</b>   | NTS           |
| DATE       | 09.12.14 | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD. |               |

D

C

B

A



**D4038-2 ANGLE, FWD, RH**

**RELEASED**  
2010-04-14  
MWD

**NOTES:**

- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 4.000 X 4.000 X 0.250  
PER AMS-QQ-A-200/8  
REF DART SPEC M6061T6A4.000XW250
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN (FAR SIDE ONLY) TO MAX  
DEPTH OF 0.010 IN 0.18 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 1.08 lbs
- 8) SPOT FACE MAX DEPTH OF 0.010 PRIOR TO MARKING

|            |          |  |               |
|------------|----------|--|---------------|
| DESIGN     |          | <b>DART AEROSPACE LTD</b>  |               |
| DRAWN      |          | HAWKESBURY, ONTARIO, CANADA  |               |
| CHECKED    |          | DRAWING NO.  | REV. A        |
| MFG. APPR. |          | <b>D4038</b>   | SHEET 4 OF 14 |
| APPROVED   |          | TITLE  | SCALE         |
| DE APPR.   |          | <b>BRACKET</b>   | NTS           |
| DATE       | 09.12.14 | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD. |               |



**D4038-3 ANGLE, AFT, LH**

**NOTES:**

- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 4.000 X 4.000 X 0.250  
PER AMS-QQ-A-200/8  
REF DART SPEC M6061T6A4.000XW250
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN (NEAR SIDE ONLY) TO MAX  
DEPTH OF 0.010 IN 0.18 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 1.14 lbs
- 8) SPOT FACE MAX DEPTH OF 0.010 PRIOR TO MARKING

**RELEASED**  
2010-04-14  
MP



|            |          |  |               |
|------------|----------|--|---------------|
| DESIGN     | 95/      | <b>DART AEROSPACE LTD</b>  |               |
| DRAWN      | 95/      | HAWKESBURY, ONTARIO, CANADA  |               |
| CHECKED    | 95/      | DRAWING NO.  | REV. A        |
| MFG. APPR. | 95/      | <b>D4038</b>   | SHEET 5 OF 14 |
| APPROVED   | 95/      | TITLE  | SCALE         |
| DE APPR.   | 95/      | <b>BRACKET</b>   | NTS           |
| DATE       | 09.12.14 | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD. |               |

D

C

B

A



**D4038-4 ANGLE, AFT, RH**

RELEASED  
2010-04-14  
MD

**NOTES:**

- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 4.000 X 4.000 X 0.250  
PER AMS-QQ-A-200/8  
REF DART SPEC M6061T6A4.000XW250
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN (FAR SIDE ONLY) TO MAX  
DEPTH OF 0.010 IN 0.18 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 1.14 lbs
- 8) SPOT FACE MAX DEPTH OF 0.010 PRIOR TO MARKING


|            |          |   |               |
|------------|----------|---|---------------|
| DESIGN     |          | <b>DART AEROSPACE LTD</b>   |               |
| DRAWN      |          | HAWKESBURY, ONTARIO, CANADA   |               |
| CHECKED    |          | DRAWING NO.   | REV. A        |
| MFG. APPR. |          | <b>D4038</b>  | SHEET 6 OF 14 |
| APPROVED   |          | TITLE   | SCALE         |
| DE APPR.   |          | <b>BRACKET</b>  | NTS           |
| DATE       | 09.12.14 | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD |               |

D

C

B







A



D4038-5 BLOCK

RELEASED  
2010-04-14  
mjb


- NOTES:
- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC M6061T6B
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH  
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
  - 7) WEIGHT: 0.40 lbs

|   |   |   |               |
|---|---|---|---------------|
| DESIGN  |  | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |               |
| DRAWN   |  |   |               |
| CHECKED   |  | DRAWING NO.                                       | REV. A        |
| MFG. APPR.  |  | D4038   | SHEET 7 OF 14 |
| APPROVED  |  | TITLE   | SCALE         |
| DE APPR.  |  | BRACKET   | NTS           |
| DATE  | 09.12.14  | COPYRIGHT © 2009 BY DART AEROSPACE LTD            |               |
| THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD |   |   |               |


















D4038-7 BLOCK

RELEASED  
2010-04-14  
JMD

- NOTES:
- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC M6061T6B
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH  
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
  - 7) WEIGHT: 0.42 lbs

|  |   |  |               |
|--|---|--|---------------|
| DESIGN   |  | DART AEROSPACE LTD                     |               |
| DRAWN  |  | HAWKESBURY, ONTARIO, CANADA            |               |
| CHECKED  |  | DRAWING NO.                            | REV. A        |
| MFG. APPR.   |  | D4038                                  | SHEET 9 OF 14 |
| APPROVED   |  | TITLE                                  | SCALE         |
| DE APPR.   |  | BRACKET                                | NTS           |
| DATE   | 09.12.14  | COPYRIGHT © 2009 BY DART AEROSPACE LTD |               |
| THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. |   |  |               |

D  
C  
B  
A






**D4038-8 BLOCK**

RELEASED  
2010-04-14  
MS

- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC M6061T6B
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH  
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
  - 7) WEIGHT: 0.42 lbs

|            |          |   |                |
|------------|----------|---|----------------|
| DESIGN     |          | <b>DART AEROSPACE LTD</b>   |                |
| DRAWN      |          | HAWKESBURY, ONTARIO, CANADA   |                |
| CHECKED    |          | DRAWING NO.   | REV. A         |
| MFG. APPR. |          | <b>D4038</b>  | SHEET 10 OF 14 |
| APPROVED   |          | TITLE   | SCALE          |
| DE APPR.   |          | <b>BRACKET</b>  | NTS            |
| DATE       | 09.12.14 | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD |                |





**D4038-9 BLOCK**

**RELEASED**  
2010-04-16  
MM

**NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH  
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 0.32 lbs

|            |          |  |                |
|------------|----------|--|----------------|
| DESIGN     |          | <b>DART AEROSPACE LTD</b>  |                |
| DRAWN      |          | HAWKESBURY, ONTARIO, CANADA  |                |
| CHECKED    |          | DRAWING NO.  | REV. A         |
| MFG. APPR. |          | <b>D4038</b>   | SHEET 11 OF 14 |
| APPROVED   |          | TITLE  | SCALE          |
| DE APPR.   |          | <b>BRACKET</b>   | NTS            |
| DATE       | 09.12.14 | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD. |                |






**D4038-10 BLOCK**

**RELEASED**  
2010-04-14  
MD

**NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH  
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 0.32 lbs

|            |          |  |                |
|------------|----------|--|----------------|
| DESIGN     | DES      | <b>DART AEROSPACE LTD</b>  |                |
| DRAWN      | DES      | HAWKESBURY, ONTARIO, CANADA  |                |
| CHECKED    | DES      | DRAWING NO.  | REV. A         |
| MFG. APPR. | DES      | <b>D4038</b>   | SHEET 12 OF 14 |
| APPROVED   | DES      | TITLE  | SCALE          |
| DE APPR.   | DES      | <b>BRACKET</b>   | NTS            |
| DATE       | 09.12.14 | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD. |                |





**D4038-11 BLOCK**

**RELEASED**  
2010-04-16

**NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH  
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 0.34 lbs

|            |          |  |                |
|------------|----------|--|----------------|
| DESIGN     |          | <b>DART AEROSPACE LTD</b>  |                |
| DRAWN      |          | HAWKESBURY, ONTARIO, CANADA  |                |
| CHECKED    |          | DRAWING NO.  | REV. A         |
| MFG. APPR. |          | <b>D4038</b>   | SHEET 13 OF 14 |
| APPROVED   |          | TITLE  | SCALE          |
| DE APPR.   |          | <b>BRACKET</b>   | NTS            |
| DATE       | 09.12.14 | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD. |                |



**D4038-12 BLOCK**

**RELEASED**  
2010-04-14

**NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH  
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 0.34 lbs

|            |          |  |                |
|------------|----------|--|----------------|
| DESIGN     |          | <b>DART AEROSPACE LTD</b>  |                |
| DRAWN      |          | HAWKESBURY, ONTARIO, CANADA  |                |
| CHECKED    |          | DRAWING NO.  | REV. A         |
| MFG. APPR. |          | <b>D4038</b>   | SHEET 14 OF 14 |
| APPROVED   |          | TITLE  | SCALE          |
| DE APPR.   |          | <b>BRACKET</b>   | NTS            |
| DATE       | 09.12.14 | COPYRIGHT © 2009 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD. |                |